Biochimie (1998) 80, 1077–1080
© Société française de biochimie et biologie moléculaire / Elsevier, Paris

Author index 1998

A

Abad J.P. – See Amils R. et al., 911
Abouhaidar M.G. – See Xu J. et al., 1069
Adinolfi B.S. – See Bocchini V. et al., 895
Afshar M., Hubbard R.E., Demaille J. – Towards structural models of molecular recognition in olfactory receptors, 129
Ajouz B. – See Ghazi A. et al., 357
Aki K. – See Morimoto Y. et al., 309
Albright C.F. – See Bauman P. and Albright C.F., 621
Aloisi F. – See Levi et al., 899
Alvarez F.J. – See Jordán J.A. et al., 325
Ameisen J.C. – See Ameisen J.C. et al., 173
Amils R., Irazabal N., Moreira D., Abad J.P., Marín I. – Genomic organization analysis of acidophilic chemolithotrophic bacteria using pulsed field gel electrophoretic techniques, 911
Aminoff D. – See Ameisen J.C. et al., 173
Andoh T. – Bis(2,6-dioxopiperazines), catalytic inhibitors of DNA topoisomerase II, as molecular probes, cardioprotectors and antitumor drugs, 235 – Andoh T. – See Andoh T. et al., 303
Andre-Barres C. – See Rico-Lattes I. et al., 483
Arany I. – See Horikoshi T. et al., 605
Arcamone F.M. – From the pigments of the actinomycetes to third generation antitumor anthracyclines, 201
Arcari P. – See Bocchini V. et al., 895
Arcucci A. – See Bocchini V. et al., 895
ardourel M.Y. – See Kang H.C. et al., 87
Arselin G. – See Velours J. et al., 793
Atalay A., Ogus A., Bateman O., Slingsby C. – Vitamin C induced oxidation of eye lens gamma crystallins, 283
Atrian S. – See Valls M. et al., 855
Au W.C. – See Pitha P.M. et al., 651

B

Bacri J.C. – See Halbreich A. et al., 379
Bahloul A. – See Kohiyama M. et al., 1043
Bandorowicz-Pikula J., Pikula S. – Modulation of annexin VI-driven aggregation of phosphatidylserine liposomes by ATP, 613
Barbiroli B., Iotti S., Lodi R. – Aspects of human bioenergetics as studied in vivo by magnetic resonance spectroscopy, 847
Bardusco P. – See Méléard P. et al., 401
Barthélémy P. – See Chabaud E. et al., 515
Battegay S. – See Lefèvre F. et al., 779
Bauman P., Albright C.F. – Functional analysis of domains in the Byr2 kinase, 621
Bauvois B. – See Touil-Boukoffa C. et al., 739
Beauseigneur F. – See Tsoko M. et al., 943
Bélaïche D. – See Laine B. et al., 109
Benatti U. – See Tonetti M. et al., 923
Berger V. – See Martin A. et al., 75
Berjeaud J.M. – See Ottavi A. et al., 289
Bernardi F., Haenni A.L. – Viruses: Exquisite models for cell strategies, 1035
Berrier C. – See Ghazi A. et al., 357
Besnard M. – See Ghazi A. et al., 357
Beswick V., Roux M., Navarre C., Coïc Y.M., Huynh-Dinh T., Goffeau A., Sanson A., Neumann J.M. – ^{1}H- and ^{2}H-NMR studies of a fragment of PMP1, a regulatory subunit associated with the yeast plasma membrane H^{+}-ATPase. Conformational properties and lipid-peptide interactions, 451
Billiau A. – See Vandenbroeck K. and Billiau A., 729
Bisso A. – See Tonetti M. et al., 923
Bizzoca A. – See Papa S. et al., 821
Bocchini V., Adinolfi B.S., Arcari P., Arcucci A., Dello Russo A., De Vendittis E., Ianniciello G., Masullo M., Raimo G. – Protein engineering on enzymes of the peptide elongation cycle in *Sulfolobus solfataricus*, 895
Bodenhausen G. – See Warschawski D.E. et al., 437
Boland I. – See Vassal G. et al., 271
Bonhivers M., Plançon L., Ghazi A., Boulanger P., le Maire M., Lambert O., Rigaud J.L., Letellier L. – FhuA, *an Escherichia coli* outer membrane protein with a dual function of transporter and channel which mediates the transport of phage DNA, 363
Bonnefoy E. – See Robbe K. and Bonnefoy E., 665
Borde V., Duguet M. – The mapping of DNA topoisomerase sites in vivo: A tool to enlight the functions of topoisomerases, 223
Borghetti A.F. – See Brigotti M. et al., 575
Boulanger P. – See Lambert O. et al., 363
Bourgerie S. – See Monsigny M. et al., 99
Boynard M. – See Chabance B. et al., 155
Bracale A. – See Cafaro V. et al., 905
Bragança J., Civas A. – Type I interferon gene expression: Differential expression of IFN-A genes induced by viruses and double-stranded RNA, 673
Brandolin G. – See Fiore C. et al., 137
Bratosin D., Mazurier J., Tissier J.P., Estaquier J., Huart J.J., Ameisen J.C., Aminoff D., Montreuil J. – Cellular and molecular mechanisms of senescent erythrocyte phagocytosis by macrophages. A review, 173
Brehier A. – See Lambert G. et al., 969
Briand G. – See Hennebicq S. et al., 69
Brigotti M., Petronini P.G., Borghetti A.F., Guidotti G.G., Sperti S., Montanaro L. – Primer tRNATrp of RSV-transformed or RAV-1-infected cells upregulates the antiribosomal activity of gelonin, 575
Brulé H. , Grosjean H., Giegé R., Florentz C. – A pseudoknotted tRNA variant is a substrate for tRNA (cytosine-5)-methyltransferase from *Xenopus laevis*, 977
Brysk H. – See Horikoshi T. et al., 605
Brysk M.M. – See Horikoshi T. et al., 605
Bugreev D.V., Vasyutina E.L., Kolocheva T.I., Buneva V.N., Andoh T., Nevinsky G.A. – Interaction of human DNA topoisomerase I with specific sequence oligodeoxynucleotides, 303
Bulet P.– See Taguchia S. et al., 343
Buneva V.N. – See Andoh T. et al., 303
Burns C. – See Li X. et al., 703
Burysek L. – See Pitha P.M. et al., 651
Bykowski T., Sirko A. – Selected phenotypes of ihf mutants of Escherichia coli, 987

C

Cacan R., Duvet S., Kmiécik D., Labiau O., Mir A.M., Verbert A. – 'Glyco-deglyco' processes during the synthesis of N-glycoproteins, 59
Cafaro V., Bracale A., Formiggini F., Notomista E., D'Alessio G., Di Donato A. – Protein engineering of ribonucleases, 905
Calabrese V. – See Nicoletti V.G. et al., 871
Camougrand N. – See Velours J. et al., 793
Cannac-Caffrey V., Hudry-Clergeon G., Pétillot Y., Gagnon J., Zaccai G., Franzetti B. – The protein sequence of an archaeal catalase-peroxidase, 1003
Cantatore P. – See Gadaleta M.N. et al., 863
Capitanio G. – See Papa S. et al., 821
Capitanio N. – See Papa S. et al., 821
Capobianchi M.R. – See Dianzani F. et al., 745
Cappelli C. – See Vassal G. et al., 271
Carion-Taravella B. – See Chopineau J. et al., 421
Carlino V. – See Papa S. et al., 821
Caruso A. – See Nicoletti V.G. et al., 871
Castilletti C. – See Dianzani F. et al., 745
Ceccarelli M., Marchi M. – Molecular dynamics simulation of POPC at low hydration near the liquid crystal phase transition, 415
Cenatiempo Y. – See Ottavi A. et al., 289
Chabance B., Marteau P., Rambaud J.C., Migliore-Samour D., Boynard M., Perrotin P., Guillet R., Jollès P., Fiat A.M. – Casein peptide release and passage to the blood in humans during digestion of milk or yogurt, 155
Chabaud E., Barthélémy P., Mora N., Popot J.L., Pucci B. – Stabilization of integral membrane proteins in aqueous solution using fluorinated surfactants, 515
Chaignepain S. – See Velours J. et al., 793
Charlier M. – See Martal J. et al., 755
Charpigny G. – See Martal J. et al., 755
Chartier F. – See Laine B. et al., 109
Chen S.H. – See Horikoshi T. et al., 605
Chêne N. – See Martal J. et al., 755
Chevaillier P. – See Wouters-Tyrou D. et al., 117
Chiaraluce R. – See Scandurra R. et al., 933
Chopineau J., Carion-Taravella B., Lesieur S., Ollivon M. – Self-evolving microstructured systems upon enzymatic catalysis, 421
Civas A. – See Bragança J. and Civas A., 673
Clouet P. – See Tsoko M. et al., 943
Coïc Y.M. – See Beswick V. et al., 451
Consalvi V. – See Scandurra R. et al., 933
Console A. – See Nicoletti V.G. et al., 871
Copani A. – See Nicoletti V.G. et al., 871
Cormio A. – See Gadaleta M.N. et al., 863
Couvreur P. – See Lambert G. et al., 969
Cozzone A.J. – Post-translational modification of proteins by reversible phosphorylation in prokaryotes, 43
Cribier S. – See Henry J.P. et al., 371
Culard F. – See Laine B. et al., 109

D

Da Silva M.F. – See Halbreich A. et al., 379
D'Alessio G. – See Cafaro V. et al., 905
D'Andréa S. – See Lefèvre F. et al., 779
Daoudi F. – See Maldonado S. et al., 813
Darchen F. – See Henry J.P. et al., 371
D'Auria S., Moracci M ., Febbraio F., Tanfani F., Nucci R. , Rossi M. – Structure-function studies on β-glycosidase from *Sulfolobus solfataricus*. Molecular bases of thermostability, 949
De Caro J. – See Ferjancic-Biagini A. et al., 1047
De Flora A. – See Tonetti M. et al., 923
De Lorenzo V. – See Valls M. et al., 855
De Nitto E. – See Papa S. et al., 821
De Vendittis E. – See Bocchini V. et al., 895
Degand P. – See Hennebicq S. et al., 69
Delacroix H., Gulik A., Gulik-Krzywicki T. – Crystallographic analysis of freeze-fractured three-dimensionally ordered specimens, 553
Delay D. – See Monsigny M. et al., 99
Dello Russo A. – See Bocchini V. et al., 895
Delmotte F.M. – See Kang H.C. et al., 87
Demaille J. – See Afshar M. et al., 129
Demarquoy J. – See Tsoko M. et al., 943
Demeyer D. – See Hennebicq S. et al., 69
Der Mardirossian C., Krafft M.P., Gulik-Krzywicki T., le Maire M., Lederer F. – Perfluoroalkylphosphocholines are poor protein-solubilizing surfactants, as tested with neutrophil plasma membranes, 531
Deshpande A. – See Fadnavis N.W. et al., 1025
Devaux P.F. – See Warschawski D.E. et al., 437

Di Donato A. – See Cafaro V. et al., 905
Di Luccia A. – See Scaloni A. et al., 333
Dianoux A.C. – See Fiore C. et al., 137
Dianzani F., Castilletti C., Gentile M., Gelderblom H.R., Frezza F., Capobianchi M.R. – Effects of IFNα on late stages of HIV-1 replication cycle, 745
Díez J.C. – See Jordán J.A. et al., 325
Duguet M. – See Borde V. and Duguet M., 223
Dupuis L. – See Ferjancic-Biagini A. et al., 1047
Duran R., Junqua M., Schmitter J.M., Gancet C., Goulas P. – Purification, characterisation, and gene cloning of transglutaminase from *Streptoverticillium cinnamoneum* CBS 683.68, 313
Duriez P. – See Fruchart J.C. and Duriez P., 167
Duvet S. – See Cacan R. et al., 59

E–F

Elbtaouri H. – See Petitfrere E. et al., 1063
Engel P.C. – See Scandurra R. et al., 933
Estaquier J. – See Ameisen J.C. et al., 173
Fadnavis N.W., Luke Babu R., Deshpande A. – Reactivity of trypsin in reverse micelles: pH-effects on the W0 versus enzyme activity profiles, 1025
Fattal E. – See Lambert G. et al., 969
Febbraio F. – See D'Auria S. et al., 949
Feger J. – See Lambert G. et al., 969
Ferjancic-Biagini A., Dupuis L., De Caro J., Puigserver A. – Inhibitory effects of anions and active site amino acid sequence of chicken liver L-2-hydroxyacid oxidase A, a member of the FMN-dependent α-hydroxyacid oxidizing enzyme family, 1047
Fernandez-Puente L. – See Méléard P. et al., 401
Férnandez-Recio J. – See Maldonado S. et al., 813
Ferrara L. – See Scaloni A. et al., 333
Ferruelo A.J. – See Martínez-Botas J. et al., 887
Fiat A.M. – See Chabance B. et al., 155
Fiore C., Trezeguet V., Le Saux A., Roux P., Schwimmer C., Dianoux A.C., Noël F., Lauquin G.J.M., Brandolin G., Vignais P.V. – The mitochondrial ADP/ATP carrier: Structural, physiological and pathological aspects, 137
Florentz C. – See Brulé H. et al., 977
Formiggini F. – See Cafaro V. et al., 905
Franzetti B. – See Cannac-Caffrey V. et al., 1003
Frezza F. – See Dianzani F. et al., 745
Fruchart J.C., Duriez P. – High density lipoproteins and coronary heart disease. Future prospects in gene therapy, 167

G

Gadaleta M.N., Cormio A., Pesce V., Lezza A.M.S., Cantatore P. – Aging and mitochondria, 863
Gagnon J. – See Hennebicq S. et al., 69 – Gagnon J. – See Cannac-Caffrey V. et al., 1003
Gallinet J.P. – See Gauthier-Manuel B. and Gallinet J.P., 391
Gancet C. – See Duran R. et al., 313
Gariglio M. – See Landolfo S. et al., 721
Gauthier-Manuel B., Gallinet J.P. – Study of the behavior of biological molecules in a thin gap by refractive index and force measurements with an automatic surface force apparatus, 391
Gelderblom H.R. – See Dianzani F. et al., 745
Geldwerth D. – See Halbreich A. et al., 379
Gentile M. – See Dianzani F. et al., 745
Genzor C.G. – See Maldonado S. et al., 813
Gerbeaud C. – See Méléard P. et al., 401
Ghazi A., Berrier C., Ajouz B., Besnard M. – Mechanosensitive ion channels and their mode of activation, 357 – Ghazi A. – See Lambert O. et al., 363
Ghelis C. – See Yon J.M. et al., 33
Giannicopoulou P. – See Tsilemou A. et al., 591
Giegé R. – See Brulé H. et al., 977
Giuffrida Stella A.M. – See Nicoletti V.G. et al., 871
Goffeau A. – See Beswick V. et al., 451
Gómez-Coronado D. – See Martínez-Botas J. et al., 887
Gómez-Moreno C., Martínez-Júlvez M., Medina M., Hurley J.K., Tollin G. – Protein-protein interaction in electron transfer reactions: The ferredoxin/flavodoxin/ferredoxin:NADP$^+$ reductase
González E.B. – See Maldonado S. et al., 813
González-Duarte R. – See Valls M. et al., 855
Górny M. – See Stopa B. et al., 963
Goulas P. – See Duran R. et al., 313
Gouyette A. – See Vassal G. et al., 271
Gouzy M.F. – See Rico-Lattes I. et al., 483
Graves P.V. – See Velours J. et al., 793
Gresti J. – See Tsoko M. et al., 943
Gribaudo G. – See Landolfo S. et al., 721
Grosjean H. – See Brulé H. et al., 977
Guérin B. – See Kang H.C. et al., 87
Guha S. – See Kohiyama M. et al., 1043
Guidetti B. – See Rico-Lattes I. et al., 483
Guidotti G.G. – See Brigotti M. et al., 575
Guillet R. – See Chabance B. et al., 155
Guillomot M. – See Martal J. et al., 755 – Guillomot M. – See Lefèvre F. et al., 779
Gulik A. – See Delacroix H. et al., 553
Gulik-Krzywicki T. – See Delacroix H. et al., 553
Gulik-Krzywicki T. – See Der Mardirossian C. et al., 531
Gyppaz F. – See Tran-Dinh S. et al., 1013

H

Haenni A.L. – See Bernardi F.and Haenni A.L., 1035
Haider M. – See Tribet C. et al., 475
Halbreich A., Roger J., Pons J.N., Geldwerth D., Da Silva M.F., Roudier M., Bacri J.C. – Biomedical applications of maghemite ferrofluid, 379
Hamrioui B. – See Touil-Boukoffa C. et al., 739
Harada H., Taniguchi T., Tanaka N. – The role of interferon regulatory factors in the interferon system and cell growth control, 641
Hauser H. – See Kirchhoff S. et al., 659
Haye B. – See Petitfrere E. et al., 1063
Hefferon K.L. – See Xu J. et al., 1069
Hegardt F.G. – Transcriptional regulation of mitochondrial HMG-CoA synthase in the control of ketogenesis, 803
Hennebicq S., Tetaert D.,, Soudan B., Briand G., Richet C., Demeyer D., Gagnon J., Petillot Y., Degand P. – Polypeptide:N-acetylgalactosaminyltransferase activities towards the mucin MUC5AC peptide motif using microsomal preparations of normal and tumoral digestive mucosa, 69
Henry J.P., Darchen F., Cribier S. – Physical techniques for the study of exocytosis in isolated cells, 371
Herve M. – See Tran-Dinh S. et al., 1013
Heslot H. – Artificial fibrous proteins: A review, 19
Hiscott J. – See Pitha P.M. et al., 651
Hoerter J.A. – See Tran-Dinh S. et al., 1013
Hoffmann J.A. – See Taguchia S. et al., 343
Horikoshi T., Arany I., Rajaraman S. , Chen S.H., Brysk H., Lei G. , Tyring S.K., Brysk M.M. – Isoforms of cathepsin D and human epidermal differentiation, 605
Huart J.J. – See Ameisen J.C. et al., 173
Hubbard R.E. – See Afshar M. et al., 129
Hudry-Clergeon G. – See Cannac-Caffrey V. et al., 1003
Hurley J.K. – See Gómez-Moreno C. et al., 837
Husson A. – See Lavoinne A. et al., 807
Huynh L. – See Martal J. et al., 755
Huynh-Dinh T. – See Beswick V. et al., 451

I–J

Ianniciello G. – See Bocchini V. et al., 895
Imadalou K. – See Vassal G. et al., 271
Imbert T.F. – Discovery of podophyllotoxins, 207
Iotti S. – See Barbiroli B. et al., 847
Ira zabal N. – See Amils R. et al., 911
Irún M.P. – See Maldonado S. et al., 813
Ivanchenko M., Zacharieva S., Yaneva J., Zlatanova J. – Linker histone binding to superhelical DNA: electrophoretic and filter binding studies, 1031
Ivanov I.G. – See Xu J. et al., 1069
Jeandaine N. – See Méléard P. et al., 401
Jollès P. – See Chabance B. et al., 155
Jordán J.A., Alvarez F.J., Lotero L.A., Tejedor M.C., Díez J.C. – In vivo behaviour of rat band 3 cross-linked carrier erythrocytes, 325
Juang Y.T. – See Pitha P.M. et al., 651
Julien R. – See Ottavi A. et al., 289
Junqua M. – See Duran R. et al., 313
Juodka B. – See Vainauskas S. et al., 595

K–L

Kang H.C., ardourel M.Y., Guérin B., Monsigny M., Delmotte F.M. – Purification of two lectins from a nopalin *Agrobacterium tumefaciens* strain, 87
Kern R. – See Kohiyama M. et al., 1043
Kirchhoff S., Schaper F., Oumard A., Hauser H. – In vivo formation of IRF-1 homodimers, 659
Klein A., Roussel P. – O-Acetylation of sialic acids, 49
Kmiécik D. – See Cacan R. et al., 59
Koceva-Chyl A. – See Weglarz L., Koceva-Chyl A., 627
Kohiyama M., Bahloul A., Kern R., Meury J., Reshetnyak E., Malki A., Guha S. – Increased expression of a hemimethylated oriC binding protein, SeqA in an *aphA* mutant, 1043
Kolocheva T.I. – See Andoh T. et al., 303
Konieczny L. – See Stopa B. et al., 963
Krafft M.P., Riess J.G. – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489 – Krafft M.P. – See Der Mardirossian C. et al., 531

L

La Bonnardière C. – See Lefèvre F. et al., 779
Labiau O. – See Cacan R. et al., 59
Laine B., Chartier F., Culard F., Bélaïche D., Sautière P. – The DNA-binding protein II from *Zymomonas mobilis*. Complete amino acid sequence and interaction with DNA, 109
Lambert G., Fattal E., Brehier A., Feger J., Couvreur P. – Effect of polyisobutylcyanoacrylate nanoparticles and Lipofectin® loaded with oligonucleotides on cell viability and PKCα neosynthesis in HepG2 cells, 969
Lambert O. – See Lambert O. et al., 363
Landolfo S., Gariglio M., Gribaudo G., Lembo D. – The Ifi 200 genes: An emerging family of IFN-inducible genes, 721
Larsen A.K. – See Robert J. and Larsen A.K., 247
Lasunción M.A. – See Martínez-Botas J. et al., 887
Lattes A. – See Rico-Lattes I. et al., 483
Lauquin G.J.M. – See Fiore C. et al., 137
Lavoinne A., Meisse D., Quillard M., Husson A., Renouf S., Yassad A. – Glutamine and regulation of gene expression in rat hepatocytes: The role of cell swelling, 807
le Maire M. – See Lambert O. et al., 363 – le Maire M. – See Der Mardirossian C. et al., 531
Le Saux A. – See Fiore C. et al., 137
Lebleu B. – See Robbins I. et al., 711
Lecomte C., Sabatier J.M., Van Rietschoten J., Rochat H. – Synthetic peptides as tools to investigate the structure and pharmacology of potassium channel-acting short-chain scorpion toxins, 151
Lederer F. – See Der Mardirossian C. et al., 531
Lee J.C. – See Villarreal J. Jr. and Lee J.C., 321
Lefèvre F., Guillomot M., D'Andréa S., Battegay S., La Bonnardière C. – Interferon-delta: The first member of a novel type I interferon family, 779

Lei G. – See Horikoshi T. et al., 605
Lembo D. – See Landolfo S. et al., 721
Lesieur S. – See Chopineau J. et al., 421
Letellier L. – See Lambert O. et al., 363
Leung S. – See Li X. et al., 703
Levi G., Minghetti L., Aloisi F. – Regulation of prostanoid synthesis in microglial cells and effects of prostaglandin E_2 on microglial functions, 899
Lezza A.M.S. – See Gadaleta M.N. et al., 863
L'Haridon R. – See Martal J. et al., 755
Li X., Leung S., Burns C., Stark G.R. – Cooperative binding of Stat1-2 heterodimers and ISGF3 to tandem DNA elements, 703
Lodi R. – See Barbiroli B. et al., 847
Lopez S., Navarro S. – Transcriptional repression of type I IFN genes, 689
Lostao A. – See Maldonado S. et al., 813
Lotero L.A. – See Jordán J.A. et al., 325
Louisot P. – See Martin A. et al., 75
Lowther W. – See Pitha P.M. et al., 651
Lucchi E. – See Vassal G. et al., 271
Luke Babu R. – See Fadnavis N.W. et al., 1025
Luquita A. – See Maldonado S. et al., 813

M

Maftah A. – See Ottavi A. et al., 289
Maldonado S., Lostao A., Irún M.P., Férnandez-Recio J., Genzor C.G., González E.B., Rubio J.A., Luquita A., Daoudi F., Sancho J. – Apoflavodoxin: Structure, stability, and FMN binding, 813
Malki A. – See Kohiyama M. et al., 1043
Malorni A. – See Scaloni A. et al., 333
Marchi M. – See Ceccarelli M. and Marchi M., 415
Marín I. – See Amils R. et al., 911
Markovska T. – See Momchilova A. et al., 1055
Martal J., Chêne N., Huynh L., L'Haridon R., Reinaud P., Guillomot M., Charlier M., Charpigny G. – IFN-tau: A novel subtype I IFN1. Structural characteristics, non-ubiquitous expression, structure-function relationships, a pregnancy hormonal embryonic signal and cross-species therapeutic potentialities, 755
Marteau P. – See Chabance B. et al., 155
Martin A., Rambal C., Berger V., Perier S., Louisot P. – Availability of specific sugars for glycoconjugate biosynthesis: A need for further investigations in man, 75
Martinage A. – See Wouters-Tyrou D. et al., 117
Martínez-Botas J., Ferruelo A.J., Suárez Y., Gómez-Coronado D., Lasunción M.A. – Induction of apoptosis in p53-null HL-60 cells by inhibition of lanosterol 14-α demethylase, 887
Martínez-Júlvez M. – See Gómez-Moreno C. et al., 837
Martiny L. – See Petitfrere E. et al., 1063
Massey V. – See Morimoto Y. et al., 309
Massotte D. – See Stanasila L. et al., 563
Masullo M. – See Bocchini V. et al., 895
Mateo P. – See Tran-Dinh S. et al., 1013
Mayer R. – See Monsigny M. et al., 99
Mazurier J. – See Ameisen J.C. et al., 173
Medina M. – See Gómez-Moreno C. et al., 837
Meisse D. – See Lavoinne A. et al., 807
Méléard P., Gerbeaud C., Bardusco P., Jeandaine N., Mitov M.D., Fernandez-Puente L. – Mechanical properties of model membranes studied from shape transformations of giant vesicles, 401
Meng A.X. – See Xu J. et al., 1069
Meury J. – See Kohiyama M. et al., 1043
Midoux P. – See Monsigny M. et al., 99
Migliore-Samour D. – See Chabance B. et al., 155
Mills D. – See Tribet C. et al., 475
Minghetti L. – See Levi et al., 899
Mir A.M. – See Cacan R. et al., 59
Misaki H. – See Morimoto Y. et al., 309
Mitov M.D. – See Méléard P. et al., 401
Mitta G. – See Robbins I. et al., 711
Momchilova A., Markovska T., Pankov R. – Phospholipid dependence of membrane-bound phospholipase A_2 in *ras*-transformed NIH 3T3 fibroblasts, 1055
Monsigny M. – See Kang H.C. et al., 87 – Monsigny M., Quétard C., Bourgerie S., Delay D., Pichon C., Midoux P., Mayer R., Roche A.C. – Glycotargeting: The preparation of glyco-amino acids and derivatives from unprotected reducing sugars, 99
Montanaro L. – See Brigotti M. et al., 575
Montreuil J. – See Ameisen J.C. et al., 173
Moore P.A. – See Pitha P.M. et al., 651
Mora N. – See Chabaud E. et al., 515
Moracci M. – See D'Auria S. et al., 949
Moreira D. – See Amils R. et al., 911
Morimoto Y., Yorita K., Aki K., Misaki H., Massey V. – L-lactate oxidase from *Aerococcus viridans* crystallized as an octamer. Preliminary X-ray studies, 309
Morizet J. – See Vassal G. et al., 271
Motorin Y., Waller J.P. – Purification and properties of cysteinyl-tRNA synthetase from rabbit liver, 579

N–O

Navarre C. – See Beswick V. et al., 451
Navarro S. – See Lopez S. and Navarro S., 689
Neumann J.M. – See Beswick V. et al., 451
Nevinsky G.A. – See Andoh T. et al., 303
Nicoletti V.G., Caruso A., Tendi E.A., Privitera A., Console A., Calabrese V., Spadaro F., Ravagna A., Copani A., Giuffrida Stella A.M. – Effect of nitric oxide synthase induction on the expression of mitochondrial respiratory chain enzyme subunits in mixed cortical and astroglial cell cultures, 871
Noël F. – See Fiore C. et al., 137
Notomista E. – See Cafaro V. et al., 905
Nucci R. – See D'Auria S. et al., 949
Ollivon M. – See Chopineau J. et al., 421
Ottavi A., Tiennault E., Maftah A., Berjeaud J.M., Cenatiempo Y., Julien R. – An improved method to obtain a single recombinant vasoactive intestinal peptide (VIP) analog, 289
Oumard A. – See Kirchhoff S. et al., 659

P

Padegimas L. – See Vainauskas S. et al., 595
Palese L.L. – See Papa S. et al., 821
Pankov R. – See Momchilova A. et al., 1055
Papa S., Capitanio N., Villani G., Capitanio G., Bizzoca A., Palese L.L., Carlino V., De Nitto E. – Cooperative coupling and role of heme a in the proton pump of heme-copper oxidases, 821
Pattus F. – See Stanasila L. et al., 563
Pebay-Peyroula E. – See Penel S. et al., 543
Pein F. – See Vassal G. et al., 271
Penel S., Pebay-Peyroula E., Rosenbusch J., Rummel G., Schirmer T., Timmins P.A. – Detergent binding in trigonal crystals of OmpF porin from *Escherichia coli*, 543
Perahia D. – See Yon J.M. et al., 33
Perier S. – See Martin A. et al., 75
Perrotin P. – See Chabance B. et al., 155
Pesce V. – See Gadaleta M.N. et al., 863
Petillot Y. – See Hennebicq S. et al., 69 – Pétillot Y. – See Cannac-Caffrey V. et al., 1003
Petitfrere E., Sartelet H., Vivien D., Varela-Nieto I., Elbtaouri H., Martiny L., Haye B. – Glycosyl phosphatidylinositol (GPI)/inositolphosphate glycan (IPG): An intracellular signalling system involved in the control of thyroid cell proliferation, 1063
Petronini P.G. – See Brigotti M. et al., 575
Pichon C. – See Monsigny M. et al., 99
Piekarska B. – See Stopa B. et al., 963
Pieragostini E. – See Scaloni A. et al., 333
Pikula S. – See Bandorowicz-Pikula J. and Pikula S., 613
Pitha P.M., Au W.C., Lowther W., Juang Y.T., Schafer S.L., Burysek L., Hiscott J., Moore P.A. – Role of the interferon regulatory factors (IRFs) in virus-mediated signaling and regulation of cell growth, 651
Plançon L. – See Lambert O. et al., 363
Politi L. – See Scandurra R. et al., 933
Pommier Y. – Diversity of DNA topoisomerases I and inhibitors, 255
Pondarré C. – See Vassal G. et al., 271
Pons J.N. – See Halbreich A. et al., 379
Popot J.L. – See Tribet C. et al., 475 – Popot J.L. – See Chabaud E. et al., 515
Privitera A. – See Nicoletti V.G. et al., 871
Pucci B. – See Chabaud E. et al., 515
Puigserver A. – See Ferjancic-Biagini A. et al., 1047

Q–R

Quétard C. – See Monsigny M. et al., 99
Quillard M. – See Lavoinne A. et al., 807
Raimo G. – See Bocchini V. et al., 895
Rajaraman S. – See Horikoshi T. et al., 605
Rambal C. – See Martin A. et al., 75
Rambaud J.C. – See Chabance B. et al., 155
Ravagna A. – See Nicoletti V.G. et al., 871
Rayner B. – See Robbins I. et al., 711
Reinaud P. – See Martal J. et al., 755
Renouf S. – See Lavoinne A. et al., 807
Reshetnyak E. – See Kohiyama M. et al., 1043
Richet C. – See Hennebicq S. et al., 69
Rico-Lattes I., Gouzy M.F., Andre-Barres C., Guidetti B., Lattes A. – Synthetic neoglycolipids for biological applications: Correlation between their structures and their interactions with membrane proteins, 483
Riess J.G. – See Krafft M.P. and Riess J.G., 489
Rigaud J.L. – See Lambert O. et al., 363
Robbe K., Bonnefoy E. – Non-B-DNA structures on the interferon-b promoter?, 665
Robbins I., Mitta G., Vichier-Guerre S., Sobol R., Ubysz A., Rayner B., Lebleu B. – Selective mRNA degradation by antisense oligonucleotide-2,5A chimeras: Involvement of RNase H and RNase L, 711
Robert J., Larsen A.K. – Drug resistance to topoisomerase II inhibitors, 247
Rochat H. – See Lecomte C. et al., 151
Roche A.C. – See Monsigny M. et al., 99
Roger J. – See Halbreich A. et al., 379
Rosenbusch J. – See Penel S. et al., 543
Rossi M. – See D'Auria S. et al., 949
Roterman I. – See Stopa B. et al., 963
Roudier M. – See Halbreich A. et al., 379
Roussel P. – See Roussel P. and Klein A., 49
Roux M. – See Beswick V. et al., 451
Roux P. – See Fiore C. et al., 137
Rubio J.A. – See Maldonado S. et al., 813
Rummel G. – See Penel S. et al., 543
Rybarska J. – See Stopa B. et al., 963

S

Sabatier J.M. – See Lecomte C. et al., 151
Sancéau J. – See Touil-Boukoffa C. et al., 739
Sancho J. – See Maldonado S. et al., 813
Sanson A. – See Beswick V. et al., 451
Santos A. – See Vassal G. et al., 271
Sartelet H. – See Petitfrere E. et al., 1063
Sautière P. – See Laine B. et al., 109 – Sautière P. – See Wouters-Tyrou D. et al., 117
Scaloni A., Pieragostini E., Malorni A., Ferrara L., Di Luccia A. – Bovine hemoglobin α-globin chain polymorphism: Primary structure determination of two new genetic variants by mass spectrometry and amino acid sequencing, 333
Scandurra R., Consalvi V., Chiaraluce R., Politi L., Engel P.C. – Protein thermostability in extremophiles, 933
Schafer S.L. – See Pitha P.M. et al., 651

Schaper F. – See Kirchhoff S. et al., 659
Schirmer T. – See Penel S. et al., 543
Schmitter J.M. – See Duran R. et al., 313
Schwimmer C. – See Fiore C. et al., 137
Shastry B.S. – Light, sight and fight for insight, 339
Sirko A. – See Bykowski T. and Sirko A., 987
Skowronek M. – See Stopa B. et al., 963
Sobol R. – See Robbins I. et al., 711
Soudan B. – See Hennebicq S. et al., 69
Spadaro F. – See Nicoletti V.G. et al., 871
Spannagel C. – See Velours J. et al., 793
Sperti S. – See Brigotti M. et al., 575
Stanasila L., Pattus F., Massotte D. – Heterologous expression of G-protein-coupled receptors: Human opioid receptors under scrutiny, 563
Stark G.R. – See Li X. et al., 703
Stopa B., Górny M., Konieczny L., Piekarska B., Rybarska J., Skowronek M., Roterman I. – Supramolecular ligands: Monomer structure and protein ligation capability, 963
Stribinskis V. – See Vainauskas S. et al., 595
Sturla L. – See Tonetti M. et al., 923
Suárez Y. – See Martínez-Botas J. et al., 887
system from Anabaena, 837

T

Taguchia S., Bulet P., Hoffmann J.A. – A novel insect defensin from the ant Formica rufa, 343
Tanaka N. – See Harada H. et al., 641
Tanfani F. – See D'Auria S. et al., 949
Taniguchi T. – See Harada H. et al., 641
Tejedor M.C. – See Jordán J.A. et al., 325
Tendi E.A. – See Nicoletti V.G. et al., 871
Tetaert D. – See Hennebicq S. et al., 69
Thomas C. – See Vassal G. et al., 271
Tiennault E. – See Ottavi A. et al., 289
Timmins P.A. – See Penel S. et al., 543
Tissier J.P. – See Ameisen J.C. et al., 173
Tollin G. – See Gómez-Moreno C. et al., 837
Tonetti M., Sturla L., Bisso A., Zanardi D., Benatti U., De Flora A. – The metabolism of 6-deoxyhexoses in bacterial and animal cells, 923
Touil-Boukoffa C., Bauvois B., Sancéau J., Hamrioui B., Wietzerbin J. – Production of nitric oxide (NO) in human hydatidosis: Relationship between nitrite production and interferon-g levels, 739
Traikia M. – See Warschawski D.E. et al., 437
Tran-Dinh S., Hoerter J.A. , Mateo P., Gyppaz F., Herve M. – ^{13}C-NMR spectroscopic evaluation of the citric acid cycle flux in conditions of high aspartate transaminase activity in glucose-perfused rat hearts, 1013
Trezeguet V. – See Fiore C. et al., 137
Tribet C. – Hydrophobically driven attachments of synthetic polymers onto surfaces of biological interest: Lipid bilayers and globular proteins, 461 – Tribet C., Mills D., Haider M., Popot J.L. – Scanning transmission electron microscopy study of the molecular mass of amphipol/cytochrome *b6f* complexes, 475
Tsilemou A., Giannicopoulou P., Vynios D.H. – Identification of a protein in squid cranial cartilage with link protein properties, 591
Tsoko M., Beauseigneur F., Gresti J., Demarquoy J., Clouet P. – Hypolipidaemic effects of fenofibrate are not altered by mildronate-mediated normalization of carnitine concentration in rat liver, 943
Tyring S.K. – See Horikoshi T. et al., 605

U–V

Ubysz A. – See Robbins I. et al., 711
Vaillier J. – See Velours J. et al., 793
Vainauskas S., Stribinskis V., Padegimas L., Juodka B. – Partial characterization of the ribonuclease P from *Tetrahymena pyriformis*, 595
Valls M., González-Duarte R., Atrian S., De Lorenzo V. – Bioaccumulation of heavy metals with protein fusions of metallothionein to bacterial OMPs, 855
Van Rietschoten J. – See Lecomte C. et al., 151
Vandenbroeck K., Billiau A. – Interferon-g is a target for binding and folding by both *Escherichia coli* chaperone model systems GroEL/GroES and DnaK/DnaJ/GrpE, 729
Varela-Nieto I. – See Petitfrere E. et al., 1063
Vassal G., Pondarré C., Boland I., Cappelli C., Santos A., Thomas C., Lucchi E., Imadalou K., Pein F., Morizet J., Gouyette A. – Preclinical development of camptothecin derivatives and clinical trials in pediatric oncology, 271
Vasyutina E.L. – See Andoh T. et al., 303
Velours G. – See Velours J. et al., 793
Velours J., Spannagel C., Chaignepain S., Vaillier J., Arselin G., Graves P.V., Velours G., Camougrand N. – Topography of the yeast ATP synthase F_0 sector, 793
Verbert A. – See Cacan R. et al., 59
Vichier-Guerre S. – See Robbins I. et al., 711
Vignais P.V. – See Fiore C. et al., 137
Villani G. – See Papa S. et al., 821
Villarreal J. Jr., Lee J.C. – Yeast ribosomal protein L26 is located at the ribosomal subunit interface as determined by chemical cross-linking, 321
Vivien D. – See Petitfrere E. et al., 1063
Vynios D.H. – See Tsilemou A. et al., 591

W–Z

Waller J.P. – See Motorin Y.and Waller J.P., 579
Warschawski D.E., Traikia M., Devaux P.F., Bodenhausen G. – Solid-state NMR for the study of membrane systems: The use of anisotropic interactions, 437
Weglarz L., Koceva-Chyl A. – Changes in DNA supercoiling in fibroblasts cultured in the presence of hydralazine, 627
Wietzerbin J. – See Touil-Boukoffa C. et al., 739
Wouters-Tyrou D., Martinage A., Chevaillier P., Sautière P. – Nuclear basic proteins in spermiogenesis, 117
Xu J., Meng A.X., Hefferon K.L., Ivanov I.G., Abouhaidar M.G. – Effect of N-terminal deletions on the activity of pokeweed antiviral protein expressed in *E. coli*, 1069
Yaneva J. – See Ivanchenko M. et al., 1031
Yassad A. – See Lavoinne A. et al., 807
Yon J.M., Perahia D., Ghelis C. – Conformational dynamics and enzyme activity, 33
Yorita K. – See Morimoto Y. et al., 309
Zaccai G. – See Cannac-Caffrey V. et al., 1003
Zacharieva S. – See Ivanchenko M. et al., 1031
Zanardi D. – See Tonetti M. et al., 923
Zlatanova J. – See Ivanchenko M. et al., 1031

Biochimie (1998) 80, 1081–1086
© Société française de biochimie et biologie moléculaire / Elsevier, Paris

Keyword index 1998

A

2,5A – Selective mRNA degradation by antisense oligonucleotide-2,5A chimeras: Involvement of RNase H and RNase L, 711

α-anomeric DNA – Selective mRNA degradation by antisense oligonucleotide-2,5A chimeras: Involvement of RNase H and RNase L, 711

acetyl-L-carnitine – Aging and mitochondria, 863

acidophiles – Genomic organization analysis of acidophilic chemolithotrophic bacteria using pulsed field gel electrophoretic techniques, 911

active forms – Isoforms of cathepsin D and human epidermal differentiation, 605

active site sequence – Inhibitory effects of anions and active site amino acid sequence of chicken liver L-2-hydroxyacid oxidase A, a member of the FMN-dependent α-hydroxyacid oxidizing enzyme family, 1047

adhesion mechanisms – The metabolism of 6-deoxyhexoses in bacterial and animal cells, 923

ADP/ATP carrier – The mitochondrial ADP/ATP carrier: Structural, physiological and pathological aspects, 137

affinity chromatography – Purification of two lectins from a nopalin *Agrobacterium tumefaciens* strain, 87

aggrecan – Identification of a protein in squid cranial cartilage with link protein properties, 591

aggregates – Synthetic neoglycolipids for biological applications: Correlation between their structures and their interactions with membrane proteins, 483

aging – Cellular and molecular mechanisms of senescent erythrocyte phagocytosis by macrophages. A review, 173 – Aging and mitochondria, 863

allostery – Conformational dynamics and enzyme activity, 33

Alzheimer's disease – Biomedical applications of maghemite ferrofluid, 379

amperometry – Physical techniques for the study of exocytosis in isolated cells, 371

amphiphilic polymers – Hydrophobically driven attachments of synthetic polymers onto surfaces of biological interest: Lipid bilayers and globular proteins, 461

amphipols – Scanning transmission electron microscopy study of the molecular mass of amphipol/cytochrome *b6f* complexes, 475

analog – From the pigments of the actinomycetes to third generation antitumor anthracyclines, 201

annexin V – Biomedical applications of maghemite ferrofluid, 379

annexin VI – Modulation of annexin VI-driven aggregation of phosphatidylserine liposomes by ATP, 613

annexin-ferrofluid – Biomedical applications of maghemite ferrofluid, 379

anthracycline – From the pigments of the actinomycetes to third generation antitumor anthracyclines, 201

antimicrobial peptide – A novel insect defensin from the ant Formica rufa, 343

antioxidant enzymatic activities – Effect of nitric oxide synthase induction on the expression of mitochondrial respiratory chain enzyme subunits in mixed cortical and astroglial cell cultures, 871

antiproliferative activity – The Ifi 200 genes: An emerging family of IFN-inducible genes, 721

antisense – Selective mRNA degradation by antisense oligonucleotide-2,5A chimeras: Involvement of RNase H and RNase L, 711

antisense oligonucleotides – Effect of polyisobutylcyanoacrylate nanoparticles and Lipofectin® loaded with oligonucleotides on cell viability and PKCα neosynthesis in HepG2 cells, 969

antitumor – Protein engineering of ribonucleases, 905

antitumor drugs – The mapping of DNA topoisomerase sites in vivo: A tool to enlight the functions of topoisomerases, 223

apolipoprotein A-I – High density lipoproteins and coronary heart disease. Future prospects in gene therapy, 167

apoptosis – Induction of apoptosis in p53-null HL-60 cells by inhibition of lanosterol 14-α demethylase, 887

arachidonic acid – Phospholipid dependence of membrane-bound phospholipase A_2 in *ras*-transformed NIH 3T3 fibroblasts, 1055

archaea – Protein engineering on enzymes of the peptide elongation cycle in *Sulfolobus solfataricus*, 895 – Structure-function studies on β-glycosidase from *Sulfolobus solfataricus*. Molecular bases of thermostability, 949 – The protein sequence of an archaeal catalase-peroxidase, 1003

ascorbate – Vitamin C induced oxidation of eye lens gamma crystallins, 283

assembly – Effects of IFNα on late stages of HIV-1 replication cycle, 745

atherosclerosis – High density lipoproteins and coronary heart disease. Future prospects in gene therapy, 167

ATP – Modulation of annexin VI-driven aggregation of phosphatidylserine liposomes by ATP, 613

ATP synthase – Topography of the yeast ATP synthase F_0 sector, 793

atractyloside – The mitochondrial ADP/ATP carrier: Structural, physiological and pathological aspects, 137

autoregulation – Selected phenotypes of ihf mutants of *Escherichia coli*, 987

B

bacteria – Purification of two lectins from a nopalin *Agrobacterium tumefaciens* strain, 87

band 3 – In vivo behaviour of rat band 3 cross-linked carrier erythrocytes, 325

bending elasticity – Mechanical properties of model membranes studied from shape transformations of giant vesicles, 401

beta-glycosidase – Structure-function studies on β-glycosidase from *Sulfolobus solfataricus*. Molecular bases of thermostability, 949

bilayers – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489

bioremediation – Bioaccumulation of heavy metals with protein fusions of metallothionein to bacterial OMPs, 855

bis azo dyes – Supramolecular ligands: Monomer structure and protein ligation capability, 963

bis(dioxopiperazine) – Bis(2,6-dioxopiperazines), catalytic inhibitors of DNA topoisomerase II, as molecular probes, cardioprotectors and antitumor drugs, 235

blood lipids – Hypolipidaemic effects of fenofibrate are not altered by mildronate-mediated normalization of carnitine concentration in rat liver, 943

blood sedimentation rate – Biomedical applications of maghemite ferrofluid, 379

blood storage – Biomedical applications of maghemite ferrofluid, 379

bolaform – Synthetic neoglycolipids for biological applications: Correlation between their structures and their interactions with membrane proteins, 483

Bombyx mori – Artificial fibrous proteins: A review, 19

bongkrekic acid – The mitochondrial ADP/ATP carrier: Structural, physiological and pathological aspects, 137

bovine hemoglobin – Bovine hemoglobin α-globin chain polymorphism: Primary structure determination of two new genetic variants by mass spectrometry and amino acid sequencing, 333

brain bioenergetics – Aspects of human bioenergetics as studied in vivo by magnetic resonance spectroscopy, 847

Byr2 kinase – Functional analysis of domains in the Byr2 kinase, 621

C

γ-crystallins – Vitamin C induced oxidation of eye lens gamma crystallins, 283

^{13}C-NMR – ^{13}C-NMR spectroscopic evaluation of the citric acid cycle flux in conditions of high aspartate transaminase activity in glucose-perfused rat hearts, 1013

cancer – Polypeptide:N-acetylgalactosaminyltransferase activities towards the mucin MUC5AC peptide motif using microsomal preparations of normal and tumoral digestive mucosa, 69

cancer cells – Diversity of DNA topoisomerases I and inhibitors, 255

capillary electrophoresis – Polypeptide:N-acetylgalactosaminyltransferase activities towards the mucin MUC5AC peptide motif using microsomal preparations of normal and tumoral digestive mucosa, 69

carbohydrate chemistry – Glycotargeting: The preparation of glyco-amino acids and derivatives from unprotected reducing sugars, 99

carbonic anhydrase – In vivo behaviour of rat band 3 cross-linked carrier erythrocytes, 325

cartilage – Identification of a protein in squid cranial cartilage with link protein properties, 591

casein – Casein peptide release and passage to the blood in humans during digestion of milk or yogurt, 155

catalase-peroxidase – The protein sequence of an archaeal catalase-peroxidase, 1003

catalytic inhibitor – Bis(2,6-dioxopiperazines), catalytic inhibitors of DNA topoisomerase II, as molecular probes, cardioprotectors and antitumor drugs, 235

cathepsin D – Isoforms of cathepsin D and human epidermal differentiation, 605

cell cycle – The mapping of DNA topoisomerase sites in vivo: A tool to enlight the functions of topoisomerases, 223

cell growth control – The role of interferon regulatory factors in the interferon system and cell growth control, 641

cell lines – Heterologous expression of G-protein-coupled receptors: Human opioid receptors under scrutiny, 563

cell proliferation – Induction of apoptosis in p53-null HL-60 cells by inhibition of lanosterol 14-α demethylase, 887

cell swelling – Glutamine and regulation of gene expression in rat hepatocytes: The role of cell swelling, 807

cell targeting – In vivo behaviour of rat band 3 cross-linked carrier erythrocytes, 325

cell-cell interactions – The metabolism of 6-deoxyhexoses in bacterial and animal cells, 923
cellular differentiation – Isoforms of cathepsin D and human epidermal differentiation, 605
cetyltrimethylammonium bromide – Effect of polyisobutylcyanoacrylate nanoparticles and Lipofectin® loaded with oligonucleotides on cell viability and PKCα neosynthesis in HepG2 cells, 969 – Reactivity of trypsin in reverse micelles: pH-effects on the W_0 versus enzyme activity profiles, 1025
channel – *FhuA*, an *Escherichia coli* outer membrane protein with a dual function of transporter and channel which mediates the transport of phage DNA, 363
chaperone – Interferon-γ is a target for binding and folding by both *Escherichia coli* chaperone model systems GroEL/GroES and DnaK/DnaJ/GrpE, 729
chemical cross-linking – Yeast ribosomal protein L26 is located at the ribosomal subunit interface as determined by chemical cross-linking, 321
chemolithotrophy – Genomic organization analysis of acidophilic chemolithotrophic bacteria using pulsed field gel electrophoretic techniques, 911
cholesterol synthesis – Induction of apoptosis in p53-null HL-60 cells by inhibition of lanosterol 14-α demethylase, 887
chromatin – The mapping of DNA topoisomerase sites in vivo: A tool to enlight the functions of topoisomerases, 223
circular dichroism – Structure-function studies on β-glycosidase from *Sulfolobus solfataricus*. Molecular bases of thermostability, 949
citric acid cycle – ^{13}C-NMR spectroscopic evaluation of the citric acid cycle flux in conditions of high aspartate transaminase activity in glucose-perfused rat hearts, 1013
cleavable complex – Bis(2,6-dioxopiperazines), catalytic inhibitors of DNA topoisomerase II, as molecular probes, cardioprotectors and antitumor drugs, 235
coated bilayers – Hydrophobically driven attachments of synthetic polymers onto surfaces of biological interest: Lipid bilayers and globular proteins, 461
collagens – Artificial fibrous proteins: A review, 19
collective motions – Conformational dynamics and enzyme activity, 33
competitive inhibition – Interaction of human DNA topoisomerase I with specific sequence oligodeoxynucleotides, 303
concatemer – An improved method to obtain a single recombinant vasoactive intestinal peptide (VIP) analog, 289
conformation – The mitochondrial ADP/ATP carrier: Structural, physiological and pathological aspects, 137
conformational flexibility – Conformational dynamics and enzyme activity, 33
cooperative coupling – Cooperative coupling and role of heme a in the proton pump of heme-copper oxidases, 821
CoQ – Aspects of human bioenergetics as studied in vivo by magnetic resonance spectroscopy, 847
COUP-TF – Transcriptional regulation of mitochondrial HMG-CoA synthase in the control of ketogenesis, 803
cross-linking – In vivo behaviour of rat band 3 cross-linked carrier erythrocytes, 325 – Topography of the yeast ATP synthase F_0 sector, 793
cruciform DNA – Non-B-DNA structures on the interferon-β promoter?, 665
cryo-electron microscopy – FhuA, an *Escherichia coli* outer membrane protein with a dual function of transporter and channel which mediates the transport of phage DNA, 363
crystallization – L-lactate oxidase from *Aerococcus viridans* crystallized as an octamer. Preliminary X-ray studies, 309
cyclooxygenase – Regulation of prostanoid synthesis in microglial cells and effects of prostaglandin E2 on microglial functions, 899
cysteinyl-tRNA synthetase – Purification and properties of cysteinyl-tRNA synthetase from rabbit liver, 579
cytochrome b558 – Perfluoroalkylphosphocholines are poor protein-solubilizing surfactants, as tested with neutrophil plasma membranes, 531
cytochrome *b6f* – Scanning transmission electron microscopy study of the molecular mass of amphipol/cytochrome *b6f* complexes, 475 – Stabilization of integral membrane proteins in aqueous solution using fluorinated surfactants, 515
cytokines – Regulation of prostanoid synthesis in microglial cells and effects of prostaglandin E_2 on microglial functions, 899
cytosolic free magnesium – Aspects of human bioenergetics as studied in vivo by magnetic resonance spectroscopy, 847

D

2D-gels – Selected phenotypes of ihf mutants of *Escherichia coli*, 987
6-deoxyhexoses – The metabolism of 6-deoxyhexoses in bacterial and animal cells, 923
defective particles – Effects of IFNα on late stages of HIV-1 replication cycle, 745
detergents – Scanning transmission electron microscopy study of the molecular mass of amphipol/cytochrome *b6f* complexes, 475 – Stabilization of integral membrane proteins in aqueous solution using fluorinated surfactants, 515
diagnosis – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489
dietary sugars – Availability of specific sugars for glycoconjugate biosynthesis: A need for further investigations in man, 75
digestive mucosa – Polypeptide:N-acetylgalactosaminyltransferase activities towards the mucin MUC5AC peptide motif using microsomal preparations of normal and tumoral digestive mucosa, 69
dioxopiperazine – Bis(2,6-dioxopiperazines), catalytic inhibitors of DNA topoisomerase II, as molecular probes, cardioprotectors and antitumor drugs, 235
discaccharide – From the pigments of the actinomycetes to third generation antitumor anthracyclines, 201
DNA supercoiling – Changes in DNA supercoiling in fibroblasts cultured in the presence of hydralazine, 627
DNA topoisomerase – Bis(2,6-dioxopiperazines), catalytic inhibitors of DNA topoisomerase II, as molecular probes, cardioprotectors and antitumor drugs, 235
DNA topoisomerase I – Diversity of DNA topoisomerases I and inhibitors, 255 – Interaction of human DNA topoisomerase I with specific sequence oligodeoxynucleotides, 303
DNA-binding – In vivo formation of IRF-1 homodimers, 659
DNA-binding protein II – The DNA-binding protein II from *Zymomonas mobilis*. Complete amino acid sequence and interaction with DNA, 109
drug delivery – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489
drug resistance – Drug resistance to topoisomerase II inhibitors, 247

E

elastin – Artificial fibrous proteins: A review, 19
electrodeformation – Mechanical properties of model membranes studied from shape transformations of giant vesicles, 401
electron microscopy – Scanning transmission electron microscopy study of the molecular mass of amphipol/cytochrome *b6f* complexes, 475
electrophoretic mobility shift assays – Cooperative binding of Stat1-2 heterodimers and ISGF3 to tandem DNA elements, 703
electroporation – Mechanical properties of model membranes studied from shape transformations of giant vesicles, 401
electrostatic interactions – Protein thermostability in extremophiles, 933
elongation factors – Protein engineering on enzymes of the peptide elongation cycle in *Sulfolobus solfataricus*, 895
embryo – IFN-tau: A novel subtype I IFN1. Structural characteristics, non-ubiquitous expression, structure-function relationships, a pregnancy hormonal embryonic signal and cross-species therapeutic potentialities, 755
endogenous lectin – Purification of two lectins from a nopalin Agrobacterium tumefaciens strain, 87
endoplasmic reticulum – 'Glyco-deglyco' processes during the synthesis of N-glycoproteins, 59
enzyme catalysis – Conformational dynamics and enzyme activity, 33
enzymes – Self-evolving microstructured systems upon enzymatic catalysis, 421
epidermis – Isoforms of cathepsin D and human epidermal differentiation, 605
erythrocyte senescence – Cellular and molecular mechanisms of senescent erythrocyte phagocytosis by macrophages. A review, 173
erythrocyte survival – In vivo behaviour of rat band 3 cross-linked carrier erythrocytes, 325
erythrophagocytosis – Cellular and molecular mechanisms of senescent erythrocyte phagocytosis by macrophages. A review, 173
ethidium bromide – Changes in DNA supercoiling in fibroblasts cultured in the presence of hydralazine, 627
etoposide – Discovery of podophyllotoxins, 207
evanescent wave microscopy – Physical techniques for the study of exocytosis in isolated cells, 371
evolution – IFN-tau: A novel subtype I IFN1. Structural characteristics, non-ubiquitous expression, structure-function relationships, a pregnancy hormonal embryonic signal and cross-species therapeutic potentialities, 755
exocytosis – Physical techniques for the study of exocytosis in isolated cells, 371
expression strategies – Viruses: Exquisite models for cell strategies, 1035
extremophiles – Genomic organization analysis of acidophilic chemolithotrophic bacteria using pulsed field gel electrophoretic techniques, 911
extremophiles – Protein thermostability in extremophiles, 933
eye – Light, sight and fight for insight, 339
eye-lens – Vitamin C induced oxidation of eye lens gamma crystallins, 283

F

factor Xa – An improved method to obtain a single recombinant vasoactive intestinal peptide (VIP) analog, 289
fatty acid oxidation – Hypolipidaemic effects of fenofibrate are not altered by mildronate-mediated normalization of carnitine concentration in rat liver, 943
fenofibrate – Hypolipidaemic effects of fenofibrate are not altered by mildronate-mediated normalization of carnitine concentration in rat liver, 943
ferredoxin – Protein-protein interaction in electron transfer reactions: The ferredoxin/flavodoxin/ferredoxin:$NADP^+$ reductase system from *Anabaena*, 837

ferrofluid – Biomedical applications of maghemite ferrofluid, 379
fibroblasts – Changes in DNA supercoiling in fibroblasts cultured in the presence of hydralazine, 627
filter binding – Linker histone binding to superhelical DNA: electrophoretic and filter binding studies, 1031
flavodoxin – Apoflavodoxin: Structure, stability, and FMN binding, 813 – Protein-protein interaction in electron transfer reactions: The ferredoxin/flavodoxin/ferredoxin:$NADP^+$ reductase system from *Anabaena*, 837
flavoenzyme – L-lactate oxidase from *Aerococcus viridans* crystallized as an octamer. Preliminary X-ray studies, 309
flow cytofluorimetry – Cellular and molecular mechanisms of senescent erythrocyte phagocytosis by macrophages. A review, 173
fluorescence – The mitochondrial ADP/ATP carrier: Structural, physiological and pathological aspects, 137
fluorinated amphiphiles – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489
fluorinated surfactants – Stabilization of integral membrane proteins in aqueous solution using fluorinated surfactants, 515
fluorocarbon emulsions – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489
fluorocarbons – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489
FNR – Protein-protein interaction in electron transfer reactions: The ferredoxin/flavodoxin/ferredoxin:$NADP^+$ reductase system from *Anabaena*, 837
folding – Interferon-γ is a target for binding and folding by both *Escherichia coli* chaperone model systems GroEL/GroES and DnaK/DnaJ/GrpE, 729
Formica rufa – A novel insect defensin from the ant Formica rufa, 343
freeze-fracture electron microscopy – Crystallographic analysis of freeze-fractured three-dimensionally ordered specimens, 553

G

G protein coupled receptor – Towards structural models of molecular recognition in olfactory receptors, 129
galactose – Purification of two lectins from a nopalin *Agrobacterium tumefaciens* strain, 87
galactose derivatives – Synthetic neoglycolipids for biological applications: Correlation between their structures and their interactions with membrane proteins, 483
gelonin – Primer tRNATrp of RSV-transformed or RAV-1-infected cells up-regulates the antiribosomal activity of gelonin, 575
gels – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489
gene cloning – Purification, characterisation, and gene cloning of transglutaminase from *Streptoverticillium cinnamoneum* CBS 683.68, 313
gene expression – Glutamine and regulation of gene expression in rat hepatocytes: The role of cell swelling, 807 – Effect of N-terminal deletions on the activity of pokeweed antiviral protein expressed in *E. coli*, 1069
gene regulation – Type I interferon gene expression: Differential expression of IFN-A genes induced by viruses and double-stranded RNA, 673 – Viruses: Exquisite models for cell strategies, 1035
gene therapy – High density lipoproteins and coronary heart disease. Future prospects in gene therapy, 167
genetic disorders – Light, sight and fight for insight, 339
gestation – Interferon-delta: The first member of a novel type I interferon family, 779
glucose metabolism – ^{13}C-NMR spectroscopic evaluation of the citric acid cycle flux in conditions of high aspartate transaminase activity in glucose-perfused rat hearts, 1013
glutamine – Glutamine and regulation of gene expression in rat hepatocytes: The role of cell swelling, 807
glyco-amino acid – Glycotargeting: The preparation of glyco-amino acids and derivatives from unprotected reducing sugars, 99
glycoconjugates – Post-translational modification of proteins by reversible phosphorylation in prokaryotes, 43
glycoprotein biosynthesis – Availability of specific sugars for glycoconjugate biosynthesis: A need for further investigations in man, 75
glycosylamine – Glycotargeting: The preparation of glyco-amino acids and derivatives from unprotected reducing sugars, 99
gp120 – Synthetic neoglycolipids for biological applications: Correlation between their structures and their interactions with membrane proteins, 483
G-protein-coupled receptors – Heterologous expression of G-protein-coupled receptors: Human opioid receptors under scrutiny, 563
gramicidin – Mechanical properties of model membranes studied from shape transformations of giant vesicles, 401

H

^{1}H-NMR – ^{1}H- and ^{2}H-NMR studies of a fragment of PMP1, a regulatory subunit associated with the yeast plasma membrane H^+ATPase. Conformational properties and lipid-peptide interactions, 451
^{2}H-NMR – ^{1}H- and ^{2}H-NMR studies of a fragment of PMP1, a regulatory subunit associated with the yeast plasma membrane H^+ATPase – Conformational properties and lipid-peptide interactions, 451
Haloarcula marismortui – The protein sequence of an archaeal catalase-peroxidase, 1003
halophilic – The protein sequence of an archaeal catalase-peroxidase, 1003
heat shock protein – Interferon-γ is a target for binding and folding by both *Escherichia coli* chaperone model systems GroEL/GroES and DnaK/DnaJ/GrpE, 729
heavy metals – Bioaccumulation of heavy metals with protein fusions of metallothionein to bacterial OMPs, 855
heme-copper oxidases – Cooperative coupling and role of heme a in the proton pump of heme-copper oxidases, 821
hemimethylation – Increased expression of a hemimethylated *oriC* binding protein, SeqA, in an *aphA* mutant, 1043
heterologous expression – Heterologous expression of G-protein-coupled receptors: Human opioid receptors under scrutiny, 563
high density lipoproteins – High density lipoproteins and coronary heart disease. Future prospects in gene therapy, 167
hinge-bending – Conformational dynamics and enzyme activity, 33
histones – Nuclear basic proteins in spermiogenesis, 117
HIV – IFN-tau: A novel subtype I IFN1. Structural characteristics, non-ubiquitous expression, structure-function relationships, a pregnancy hormonal embryonic signal and cross-species therapeutic potentialities, 755
HIV-1 – Effects of IFNα on late stages of HIV-1 replication cycle, 745
HMGI – Non-B-DNA structures on the interferon-β promoter?, 665
HNF-4 – Transcriptional regulation of mitochondrial HMG-CoA synthase in the control of ketogenesis, 803
homodimerization – In vivo formation of IRF-1 homodimers, 659
HU protein – The DNA-binding protein II from *Zymomonas mobilis*. Complete amino acid sequence and interaction with DNA, 109
human cDNA and genomic sequences – Purification and properties of cysteinyl-tRNA synthetase from rabbit liver, 579
human homologues – The Ifi 200 genes: An emerging family of IFN-inducible genes, 721
hydatidosis – Production of nitric oxide (NO) in human hydatidosis: Relationship between nitrite production and interferon-γ levels, 739
hydralazine – Changes in DNA supercoiling in fibroblasts cultured in the presence of hydralazine, 627
hydrophobic interactions – Protein thermostability in extremophiles, 933

I

ICRF – Bis(2,6-dioxopiperazines), catalytic inhibitors of DNA topoisomerase II, as molecular probes, cardioprotectors and antitumor drugs, 235
Ifi 200 gene family – The Ifi 200 genes: An emerging family of IFN-inducible genes, 721
IFN-A – Transcriptional repression of type I IFN genes, 689
IFN-A genes – Type I interferon gene expression: Differential expression of IFN-A genes induced by viruses and double-stranded RNA, 673
IFN-β – Non-B-DNA structures on the interferon-β promoter?, 665
IFN-B – Type I interferon gene expression: Differential expression of IFN-A genes induced by viruses and double-stranded RNA, 673 – Transcriptional repression of type I IFN genes, 689
IFN-tau – IFN-tau: A novel subtype I IFN1. Structural characteristics, non-ubiquitous expression, structure-function relationships, a pregnancy hormonal embryonic signal and cross-species therapeutic potentialities, 755
IHF – Selected phenotypes of ihf mutants of *Escherichia coli*, 987
image analysis – Crystallographic analysis of freeze-fractured three-dimensionally ordered specimens, 553
in vitro O-glycosylation – Polypeptide:N-acetylgalactosaminyltransferase activities towards the mucin MUC5AC peptide motif using microsomal preparations of normal and tumoral digestive mucosa, 69
in vivo MR spectroscopy – Aspects of human bioenergetics as studied in vivo by magnetic resonance spectroscopy, 847
infectivity – Effects of IFNα on late stages of HIV-1 replication cycle, 745
inflammation – Regulation of prostanoid synthesis in microglial cells and effects of prostaglandin E_2 on microglial functions, 899
infrared spectroscopy – Structure-function studies on β-glycosidase from *Sulfolobus solfataricus*. Molecular bases of thermostability, 949
inhibition kinetics – Inhibitory effects of anions and active site amino acid sequence of chicken liver L-2-hydroxyacid oxidase A, a member of the FMN-dependent α-hydroxyacid oxidizing enzyme family, 1047
inositolphosphate glycan – Glycosyl phosphatidylinositol (GPI)/inositolphosphate glycan (IPG): An intracellular signalling system involved in the control of thyroid cell proliferation, 1063

insect defensin – A novel insect defensin from the ant *Formica rufa*, 343
insulin – ^{13}C-NMR spectroscopic evaluation of the citric acid cycle flux in conditions of high aspartate transaminase activity in glucose-perfused rat hearts, 1013
interferon – Cooperative binding of Stat1-2 heterodimers and ISGF3 to tandem DNA elements, 703
interferon gamma – Production of nitric oxide (NO) in human hydatidosis: Relationship between nitrite production and interferon-γ levels, 739
interferon regulatory factor – The role of interferon regulatory factors in the interferon system and cell growth control, 641
interferon regulatory factor 1 – In vivo formation of IRF-1 homodimers, 659
interferon response – The role of interferon regulatory factors in the interferon system and cell growth control, 641
interferon-delta – Interferon-delta: The first member of a novel type I interferon family, 779
interferon-γ – Interferon-γ is a target for binding and folding by both *Escherichia coli* chaperone model systems GroEL/GroES and DnaK/DnaJ/GrpE, 729
interferons – The Ifi 200 genes: An emerging family of IFN-inducible genes, 721 – IFN-tau: A novel subtype I IFN1. Structural characteristics, non-ubiquitous expression, structure-function relationships, a pregnancy hormonal embryonic signal and cross-species therapeutic potentialities, 755
intermolecular force measurements – Study of the behavior of biological molecules in a thin gap by refractive index and force measurements with an automatic surface force apparatus, 391
invertebrates – Identification of a protein in squid cranial cartilage with link protein properties, 591
ion channel – Synthetic peptides as tools to investigate the structure and pharmacology of potassium channel-acting short-chain scorpion toxins, 151 – Mechanosensitive ion channels and their mode of activation, 357
IRF family – Type I interferon gene expression: Differential expression of IFN-A genes induced by viruses and double-stranded RNA, 673
IRFs – Role of the interferon regulatory factors (IRFs) in virus-mediated signaling and regulation of cell growth, 651
irinotecan – Preclinical development of camptothecin derivatives and clinical trials in pediatric oncology, 271

K–L

ketogenesis – Transcriptional regulation of mitochondrial HMG-CoA synthase in the control of ketogenesis, 803
L-2-hydroxyacid oxidase A – Inhibitory effects of anions and active site amino acid sequence of chicken liver L-2-hydroxyacid oxidase A, a member of the FMN-dependent α-hydroxyacid oxidizing enzyme family, 1047
lactate oxidase – L-lactate oxidase from *Aerococcus viridans* crystallized as an octamer. Preliminary X-ray studies, 309
LamB – Bioaccumulation of heavy metals with protein fusions of metallothionein to bacterial OMPs, 855
Langmuir monolayers – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489
L-carnitine – Hypolipidaemic effects of fenofibrate are not altered by mildronate-mediated normalization of carnitine concentration in rat liver, 943
lecithin cholesterol acyl-transferase (LCAT) – High density lipoproteins and coronary heart disease. Future prospects in gene therapy, 167
L-fucose – The metabolism of 6-deoxyhexoses in bacterial and animal cells, 923
ligation capability – Supramolecular ligands: Monomer structure and protein ligation capability, 963
link protein – Identification of a protein in squid cranial cartilage with link protein properties, 591
linker histones – Linker histone binding to superhelical DNA: electrophoretic and filter binding studies, 1031
lipid containing cubic phases – Crystallographic analysis of freeze-fractured three-dimensionally ordered specimens, 553
lipid intermediates – 'Glyco-deglyco' processes during the synthesis of N-glycoproteins, 59
lipid mixtures – Mechanical properties of model membranes studied from shape transformations of giant vesicles, 401
lipid-peptide interactions – ^{1}H- and ^{2}H-NMR studies of a fragment of PMP1, a regulatory subunit associated with the yeast plasma membrane H^{+}-ATPase. Conformational properties and lipid-peptide interactions, 451
lipids – Solid-state NMR for the study of membrane systems: The use of anisotropic interactions, 437
liposome aggregation – Modulation of annexin VI-driven aggregation of phosphatidylserine liposomes by ATP, 613
liposomes – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489
liver – Glutamine and regulation of gene expression in rat hepatocytes: The role of cell swelling, 807
L-rhamnose – The metabolism of 6-deoxyhexoses in bacterial and animal cells, 923

M

magnetic cell sorting – Biomedical applications of maghemite ferrofluid, 379
magnetocytolysis – Biomedical applications of maghemite ferrofluid, 379
malaria – Biomedical applications of maghemite ferrofluid, 379
malate-aspartate shuttle – ^{13}C-NMR spectroscopic evaluation of the citric acid cycle flux in conditions of high aspartate transaminase activity in glucose-perfused rat hearts, 1013
mass spectrometry – Bovine hemoglobin α-globin chain polymorphism: Primary structure determination of two new genetic variants by mass spectrometry and amino acid sequencing, 333
maturation – Effects of IFNα on late stages of HIV-1 replication cycle, 745
mechanosensitive channel – Mechanosensitive ion channels and their mode of activation, 357
membrane – Solid-state NMR for the study of membrane systems: The use of anisotropic interactions, 437
membrane fusion – Physical techniques for the study of exocytosis in isolated cells, 371
membrane proteins – Scanning transmission electron microscopy study of the molecular mass of amphipol/cytochrome *b6f* complexes, 475 – Stabilization of integral membrane proteins in aqueous solution using fluorinated surfactants, 515 – Perfluoroalkylphosphocholines are poor protein-solubilizing surfactants, as tested with neutrophil plasma membranes, 531 – Crystallographic analysis of freeze-fractured three-dimensionally ordered specimens, 553
membranes – Self-evolving microstructured systems upon enzymatic catalysis, 421
metabolic flux – ^{13}C-NMR spectroscopic evaluation of the citric acid cycle flux in conditions of high aspartate transaminase activity in glucose-perfused rat hearts, 1013
metal-catalysed-oxidation – Vitamin C induced oxidation of eye lens gamma crystallins, 283
metallothioneins – Bioaccumulation of heavy metals with protein fusions of metallothionein to bacterial OMPs, 855
methionine hydroxy analogue – Inhibitory effects of anions and active site amino acid sequence of chicken liver L-2-hydroxyacid oxidase A, a member of the FMN-dependent α-hydroxyacid oxidizing enzyme family, 1047
methylase – A pseudoknotted tRNA variant is a substrate for tRNA (cytosine-5)-methyltransferase from *Xenopus laevis*, 977
micelles – Self-evolving microstructured systems upon enzymatic catalysis, 421
microglia – Regulation of prostanoid synthesis in microglial cells and effects of prostaglandin E_2 on microglial functions, 899
microplate binding – Identification of a protein in squid cranial cartilage with link protein properties, 591
mitochondria – The mitochondrial ADP/ATP carrier: Structural, physiological and pathological aspects, 137
mitochondrial biogenesis – Aging and mitochondria, 863
mitochondrial gene expression – Effect of nitric oxide synthase induction on the expression of mitochondrial respiratory chain enzyme subunits in mixed cortical and astroglial cell cultures, 871
mitochondrial HMG-CoA synthase – Transcriptional regulation of mitochondrial HMG-CoA synthase in the control of ketogenesis, 803
molecular docking – Towards structural models of molecular recognition in olfactory receptors, 129
molecular modelling – Towards structural models of molecular recognition in olfactory receptors, 129
MST-16 – Bis(2,6-dioxopiperazines), catalytic inhibitors of DNA topoisomerase II, as molecular probes, cardioprotectors and antitumor drugs, 235
mtDNA – Aging and mitochondria, 863
mucins – Polypeptide:N-acetylgalactosaminyltransferase activities towards the mucin MUC5AC peptide motif using microsomal preparations of normal and tumoral digestive mucosa, 69
multiple sclerosis – IFN-tau: A novel subtype I IFN1. Structural characteristics, non-ubiquitous expression, structure-function relationships, a pregnancy hormonal embryonic signal and cross-species therapeutic potentialities, 755
muscular pathologies – The mitochondrial ADP/ATP carrier: Structural, physiological and pathological aspects, 137
mutagenesis – The mitochondrial ADP/ATP carrier: Structural, physiological and pathological aspects, 137

N–O

NADPH oxidase – Perfluoroalkylphosphocholines are poor protein-solubilizing surfactants, as tested with neutrophil plasma membranes, 531
nanoparticles – Effect of polyisobutylcyanoacrylate nanoparticles and Lipofectin® loaded with oligonucleotides on cell viability and PKCα neosynthesis in HepG2 cells, 969
NAP – Increased expression of a hemimethylated *oriC* binding protein, SeqA, in an *aphA* mutant, 1043
neoglycoconjugate – Glycotargeting: The preparation of glyco-amino acids and derivatives from unprotected reducing sugars, 99
neoglycoprotein – Purification of two lectins from a nopalin *Agrobacterium tumefaciens* strain, 87
neutrophils – Perfluoroalkylphosphocholines are poor protein-solubilizing surfactants, as tested with neutrophil plasma membranes, 531
N-glycosylation – 'Glyco-deglyco' processes during the synthesis of N-glycoproteins, 59

nitric oxide – Production of nitric oxide (NO) in human hydatidosis: Relationship between nitrite production and interferon-γ levels, 739
nitric oxide synthase – Effect of nitric oxide synthase induction on the expression of mitochondrial respiratory chain enzyme subunits in mixed cortical and astroglial cell cultures, 871
N-terminal deletion – Effect of N-terminal deletions on the activity of pokeweed antiviral protein expressed in *E. coli*, 1069
nucleoid – Changes in DNA supercoiling in fibroblasts cultured in the presence of hydralazine, 627

O

O-acetyl transferase – Post-translational modification of proteins by reversible phosphorylation in prokaryotes, 43
O-acetylation – Post-translational modification of proteins by reversible phosphorylation in prokaryotes, 43
octamer – L-lactate oxidase from *Aerococcus viridans* crystallized as an octamer. Preliminary X-ray studies, 309
olfaction – Towards structural models of molecular recognition in olfactory receptors, 129
oligomannoside trafficking – 'Glyco-deglyco' processes during the synthesis of N-glycoproteins, 59
oligonucleotide – Interaction of human DNA topoisomerase I with specific sequence oligodeoxynucleotides, 303 – Selective mRNA degradation by antisense oligonucleotide-2,5A chimeras: Involvement of RNase H and RNase L, 711
OmpF porin – Detergent binding in trigonal crystals of OmpF porin from *Escherichia coli*, 543
opioid receptors – Heterologous expression of G-protein-coupled receptors: Human opioid receptors under scrutiny, 563
organ uptake – In vivo behaviour of rat band 3 cross-linked carrier erythrocytes, 325
oriC – Increased expression of a hemimethylated *oriC* binding protein, SeqA, in an *aphA* mutant, 1043
orientation – Solid-state NMR for the study of membrane systems: The use of anisotropic interactions, 437
oTP-1 – IFN-tau: A novel subtype I IFN1. Structural characteristics, non-ubiquitous expression, structure-function relationships, a pregnancy hormonal embryonic signal and cross-species therapeutic potentialities, 755
oxidative stress – Effect of nitric oxide synthase induction on the expression of mitochondrial respiratory chain enzyme subunits in mixed cortical and astroglial cell cultures, 871
oxygen delivery – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489

P

PAL protein – Bioaccumulation of heavy metals with protein fusions of metallothionein to bacterial OMPs, 855
patch-clamp – Mechanosensitive ion channels and their mode of activation, 357 – Physical techniques for the study of exocytosis in isolated cells, 371
peptide release – Casein peptide release and passage to the blood in humans during digestion of milk or yogurt, 155
perfluoroalkylphosphocholines – Perfluoroalkylphosphocholines are poor protein-solubilizing surfactants, as tested with neutrophil plasma membranes, 531
phage DNA – FhuA, an *Escherichia coli* outer membrane protein with a dual function of transporter and channel which mediates the transport of phage DNA, 363
pH-dependence – Reactivity of trypsin in reverse micelles: pH-effects on the W_0 versus enzyme activity profiles, 1025
phenotypes – Selected phenotypes of *ihf* mutants of *Escherichia coli*, 987
phosphatidic acid – Phospholipid dependence of membrane-bound phospholipase A_2 in *ras*-transformed NIH 3T3 fibroblasts, 1055
phospholipase A2 – Phospholipid dependence of membrane-bound phospholipase A_2 in *ras*-transformed NIH 3T3 fibroblasts, 1055
pig – Interferon-delta: The first member of a novel type I interferon family, 779
plasma membrane proteolipid – ^{1}H- and ^{2}H-NMR studies of a fragment of PMP1, a regulatory subunit associated with the yeast plasma membrane H^+-ATPase. Conformational properties and lipid-peptide interactions, 451
podophyllotoxin – Discovery of podophyllotoxins, 207
pokeweed antiviral protein – Effect of N-terminal deletions on the activity of pokeweed antiviral protein expressed in *E. coli*, 1069
polyalkylcyanoacrylate – Effect of polyisobutylcyanoacrylate nanoparticles and Lipofectin® loaded with oligonucleotides on cell viability and PKCα neosynthesis in HepG2 cells, 969
polymorphism – Bovine hemoglobin α-globin chain polymorphism: Primary structure determination of two new genetic variants by mass spectrometry and amino acid sequencing, 333
post-transcriptional modification – A pseudoknotted tRNA variant is a substrate for tRNA (cytosine-5)-methyltransferase from *Xenopus laevis*, 977
PPAR – Transcriptional regulation of mitochondrial HMG-CoA synthase in the control of ketogenesis, 803
pregnancy – IFN-tau: A novel subtype I IFN1. Structural characteristics, non-ubiquitous expression, structure-function relationships, a pregnancy hormonal embryonic signal and cross-species therapeutic potentialities, 755
primary structure – The DNA-binding protein II from *Zymomonas mobilis*. Complete amino acid sequence and interaction with DNA, 109
proliferation – Glycosyl phosphatidylinositol (GPI)/inositolphosphate glycan (IPG): An intracellular signalling system involved in the control of thyroid cell proliferation, 1063
pro-protamines – Nuclear basic proteins in spermiogenesis, 117
prostaglandin – Regulation of prostanoid synthesis in microglial cells and effects of prostaglandin E_2 on microglial functions, 899
protamines – Nuclear basic proteins in spermiogenesis, 117
protein complexes – Hydrophobically driven attachments of synthetic polymers onto surfaces of biological interest: Lipid bilayers and globular proteins, 461
protein engineering – Protein engineering on enzymes of the peptide elongation cycle in *Sulfolobus solfataricus*, 895 – Protein engineering of ribonucleases, 905
protein kinase C – Effect of polyisobutylcyanoacrylate nanoparticles and Lipofectin® loaded with oligonucleotides on cell viability and PKCα neosynthesis in HepG2 cells, 969
protein ligand interaction – Towards structural models of molecular recognition in olfactory receptors, 129 – Apoflavodoxin: Structure, stability, and FMN binding, 813
protein purification – Purification, characterisation, and gene cloning of transglutaminase from *Streptoverticillium cinnamoneum* CBS 683.68, 313
protein stability – Apoflavodoxin: Structure, stability, and FMN binding, 813
protein stability – Structure-function studies on β-glycosidase from *Sulfolobus solfataricus*. Molecular bases of thermostability, 949
protein structure – Solid-state NMR for the study of membrane systems: The use of anisotropic interactions, 437
protein thermostability – Protein thermostability in extremophiles, 933
protein-DNA interactions – Linker histone binding to superhelical DNA: electrophoretic and filter binding studies, 1031
protein-protein interaction – Protein-protein interaction in electron transfer reactions: The ferredoxin/flavodoxin/ferredoxin:$NADP^+$ reductase system from *Anabaena*, 837
proteoliposomes – FhuA, an *Escherichia coli* outer membrane protein with a dual function of transporter and channel which mediates the transport of phage DNA, 363
proton pump – Cooperative coupling and role of heme a in the proton pump of heme-copper oxidases, 821

R

rabbit liver – Purification and properties of cysteinyl-tRNA synthetase from rabbit liver, 579
ras – Phospholipid dependence of membrane-bound phospholipase A_2 in *ras*-transformed NIH 3T3 fibroblasts, 1055
Ras1 GTPase – Functional analysis of domains in the Byr2 kinase, 621
rat erythrocytes – In vivo behaviour of rat band 3 cross-linked carrier erythrocytes, 325
rat heart – ^{13}C-NMR spectroscopic evaluation of the citric acid cycle flux in conditions of high aspartate transaminase activity in glucose-perfused rat hearts, 1013
reactive oxygen species – Vitamin C induced oxidation of eye lens gamma crystallins, 283
recombinant peptides – An improved method to obtain a single recombinant vasoactive intestinal peptide (VIP) analog, 289
red blood cell – Cellular and molecular mechanisms of senescent erythrocyte phagocytosis by macrophages. A review, 173
redox potential – Apoflavodoxin: Structure, stability, and FMN binding, 813
refractive index – Study of the behavior of biological molecules in a thin gap by refractive index and force measurements with an automatic surface force apparatus, 391
replication – The mapping of DNA topoisomerase sites in vivo: A tool to enlight the functions of topoisomerases, 223
retroviral primer – Primer tRNATrp of RSV-transformed or RAV-1-infected cells up-regulates the antiribosomal activity of gelonin, 575
reverse micelles – Reactivity of trypsin in reverse micelles: pH-effects on the W_0 versus enzyme activity profiles, 1025
rhamnose – Purification of two lectins from a nopalin Agrobacterium tumefaciens strain, 87
ribonuclease – Protein engineering of ribonucleases, 905
ribonuclease P – Partial characterization of the ribonuclease P from *Tetrahymena pyriformis*, 595
ribosome – Yeast ribosomal protein L26 is located at the ribosomal subunit interface as determined by chemical cross-linking, 321
ribosome subunit interface – Yeast ribosomal protein L26 is located at the ribosomal subunit interface as determined by chemical cross-linking, 321
ribosome-inactivating proteins (RIPs) – Primer $tRNA^{Trp}$ of RSV-transformed or RAV-1-infected cells up-regulates the antiribosomal activity of gelonin, 575

RNase H – Selective mRNA degradation by antisense oligonucleotide-2,5A chimeras: Involvement of RNase H and RNase L, 711
RNase L – Selective mRNA degradation by antisense oligonucleotide-2,5A chimeras: Involvement of RNase H and RNase L, 711
Rous sarcoma virus (RSV) – Primer $tRNA^{Trp}$ of RSV-transformed or RAV-1-infected cells up-regulates the antiribosomal activity of gelonin, 575

S

Saccharomyces cerevisiae – Purification and properties of cysteinyl-tRNA synthetase from rabbit liver, 579
SAM domain – Functional analysis of domains in the Byr2 kinase, 621
Schizosaccharomyces pombe – Functional analysis of domains in the Byr2 kinase, 621
scorpion toxin – Synthetic peptides as tools to investigate the structure and pharmacology of potassium channel-acting short-chain scorpion toxins, 151
self-evolution – Self-evolving microstructured systems upon enzymatic catalysis, 421
self-organisation – Self-evolving microstructured systems upon enzymatic catalysis, 421
SeqA – Increased expression of a hemimethylated *oriC* binding protein, SeqA, in an *aphA* mutant, 1043
sequence alignment – A novel insect defensin from the ant *Formica rufa*, 343
sequence analysis – Bovine hemoglobin α-globin chain polymorphism: Primary structure determination of two new genetic variants by mass spectrometry and amino acid sequencing, 333
signal transduction – Light, sight and fight for insight, 339
silks – Artificial fibrous proteins: A review, 19
SKF 104976 – Induction of apoptosis in p53-null HL-60 cells by inhibition of lanosterol 14-α demethylase, 887
solid-state NMR – Solid-state NMR for the study of membrane systems: The use of anisotropic interactions, 437
spermiogenesis – Nuclear basic proteins in spermiogenesis, 117
spiders – Artificial fibrous proteins: A review, 19
squid – Identification of a protein in squid cranial cartilage with link protein properties, 591
stable isotopes – Availability of specific sugars for glycoconjugate biosynthesis: A need for further investigations in man, 75
Streptoverticillium cinnamoneum – Purification, characterisation, and gene cloning of transglutaminase from *Streptoverticillium cinnamoneum* CBS 683.68, 313
stretch-activated channel – Mechanosensitive ion channels and their mode of activation, 357
structure-activity – Synthetic peptides as tools to investigate the structure and pharmacology of potassium channel-acting short-chain scorpion toxins, 151
structure-function – IFN-tau: A novel subtype I IFN1. Structural characteristics, non-ubiquitous expression, structure-function relationships, a pregnancy hormonal embryonic signal and cross-species therapeutic potentialities, 755
subunit 4 – Topography of the yeast ATP synthase F_0 sector, 793
subunit 6 – Topography of the yeast ATP synthase F_0 sector, 793
subunit f – Topography of the yeast ATP synthase F_0 sector, 793
Sulfolobus solfataricus – Protein engineering on enzymes of the peptide elongation cycle in *Sulfolobus solfataricus*, 895
superhelical DNA – Linker histone binding to superhelical DNA: electrophoretic and filter binding studies, 1031
supramolecular ligands – Supramolecular ligands: Monomer structure and protein ligation capability, 963
surface force apparatus – Study of the behavior of biological molecules in a thin gap by refractive index and force measurements with an automatic surface force apparatus, 391
surfactant – Synthetic neoglycolipids for biological applications: Correlation between their structures and their interactions with membrane proteins, 483
synthetic peptides – Synthetic peptides as tools to investigate the structure and pharmacology of potassium channel-acting short-chain scorpion toxins, 151

T

targeting – Glycotargeting: The preparation of glycoamino acids and derivatives from unprotected reducing sugars, 99
teniposide – Discovery of podophyllotoxins, 207
tertiary structure – A pseudoknotted tRNA variant is a substrate for tRNA (cytosine-5)-methyltransferase from *Xenopus laevis*, 977
Tetrahymena pyriformis – Partial characterization of the ribonuclease P from *Tetrahymena pyriformis*, 595
thermal stress – Interferon-γ is a target for binding and folding by both *Escherichia coli* chaperone model systems GroEL/GroES and DnaK/ DnaJ/GrpE, 729
thiobacilli – Genomic organization analysis of acidophilic chemolithotrophic bacteria using pulsed field gel electrophoretic techniques, 911
three-dimensional crystals – Crystallographic analysis of freeze-fractured three-dimensionally ordered specimens, 553
thyrocytes – Glycosyl phosphatidylinositol (GPI)/inositolphosphate glycan (IPG): An intracellular signalling system involved in the control of thyroid cell proliferation, 1063
topoisomerase – Discovery of podophyllotoxins, 207
topoisomerase I – Preclinical development of camptothecin derivatives and clinical trials in pediatric oncology, 271
topoisomerase II – Drug resistance to topoisomerase II inhibitors, 247
topoisomerase inhibitors – Diversity of DNA topoisomerases I and inhibitors, 255
topotecan – Preclinical development of camptothecin derivatives and clinical trials in pediatric oncology, 271
toxicity – Effect of N-terminal deletions on the activity of pokeweed antiviral protein expressed in *E. coli*, 1069
transcription – The mapping of DNA topoisomerase sites in vivo: A tool to enlight the functions of topoisomerases, 223 – The role of interferon regulatory factors in the interferon system and cell growth control, 641 – Role of the interferon regulatory factors (IRFs) in virus-mediated signaling and regulation of cell growth, 651 – Cooperative binding of Stat1-2 heterodimers and ISGF3 to tandem DNA elements, 703
transcription factors – Type I interferon gene expression: Differential expression of IFN-A genes induced by viruses and double-stranded RNA, 673
transcriptional activators – In vivo formation of IRF-1 homodimers, 659
transcriptional regulation – Transcriptional regulation of mitochondrial HMG-CoA synthase in the control of ketogenesis, 803
transcriptional repression – Transcriptional repression of type I IFN genes, 689
transgenesis – High density lipoproteins and coronary heart disease. Future prospects in gene therapy, 167
transglutaminase – Purification, characterisation, and gene cloning of transglutaminase from *Streptoverticillium cinnamoneum* CBS 683.68, 313
transition proteins – Nuclear basic proteins in spermiogenesis, 117
transport of inorganic phosphate – Aspects of human bioenergetics as studied in vivo by magnetic resonance spectroscopy, 847
transporter – FhuA, an *Escherichia coli* outer membrane protein with a dual function of transporter and channel which mediates the transport of phage DNA, 363
trigonal crystals – Detergent binding in trigonal crystals of OmpF porin from *Escherichia coli*, 543
tRNA – Partial characterization of the ribonuclease P from *Tetrahymena pyriformis*, 595 – A pseudoknotted tRNA variant is a substrate for tRNA (cytosine-5)-methyltransferase from *Xenopus laevis*, 977
tRNA-like – A pseudoknotted tRNA variant is a substrate for tRNA (cytosine-5)-methyltransferase from *Xenopus laevis*, 977
$tRNA^{Trp}$ – Primer $tRNA^{Trp}$ of RSV-transformed or RAV-1-infected cells up-regulates the antiribosomal activity of gelonin, 575
trophoblast – Interferon-delta: The first member of a novel type I interferon family, 779
trophoblastin – IFN-tau: A novel subtype I IFN1. Structural characteristics, non-ubiquitous expression, structure-function relationships, a pregnancy hormonal embryonic signal and cross-species therapeutic potentialities, 755
trypsin activity – Reactivity of trypsin in reverse micelles: pH-effects on the W_0 versus enzyme activity profiles, 1025
tubules – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489
tubulin – Discovery of podophyllotoxins, 207
tumors – Drug resistance to topoisomerase II inhibitors, 247
turnip yellow mosaic virus – A pseudoknotted tRNA variant is a substrate for tRNA (cytosine-5)-methyltransferase from *Xenopus laevis*, 977
two-dimensional gel electrophoresis – Linker histone binding to superhelical DNA: electrophoretic and filter binding studies, 1031
type I interferon – Interferon-delta: The first member of a novel type I interferon family, 779

V–Y

vesicles – Self-evolving microstructured systems upon enzymatic catalysis, 421 – Highly fluorinated amphiphiles and colloidal systems, and their applications in the biomedical field. A contribution, 489
VIP analogs – An improved method to obtain a single recombinant vasoactive intestinal peptide (VIP) analog, 289
viruses – Viruses: Exquisite models for cell strategies, 1035
xenografts – Preclinical development of camptothecin derivatives and clinical trials in pediatric oncology, 271
Xenopus laevis – A pseudoknotted tRNA variant is a substrate for tRNA (cytosine-5)-methyltransferase from *Xenopus laevis*, 977
X-ray crystallography – Detergent binding in trigonal crystals of OmpF porin from *Escherichia coli*, 543
X-ray diffraction – L-lactate oxidase from *Aerococcus viridans* crystallized as an octamer. Preliminary X-ray studies, 309
yeast – Yeast ribosomal protein L26 is located at the ribosomal subunit interface as determined by chemical cross-linking, 321